

hyperref package options

Sebastian Rahtz et al.

December 14th 2009

<code>allbordercolors</code>	set all border color options	
<code>allcolors</code>	set all color options (without border and field options)	
<code>anchorcolor</code>	set color of anchors	<code>black</code>
<code>backref</code>	do bibliographical back references	<code>false</code>
<code>baseurl</code>	set base URL for document	<code>empty</code>
<code>bookmarks</code>	make bookmarks	<code>true</code>
<code>bookmarksnumbered</code>	put section numbers in bookmarks	<code>false</code>
<code>bookmarksopen</code>	open up bookmark tree	<code>false</code>
<code>bookmarksopenlevel</code>	level to which bookmarks are open	<code>\maxdimen</code>
<code>bookmarkstype</code>	to specify which ‘toc’ file to mimic	<code>toc</code>
<code>breaklinks</code>	allow links to break over lines	<code>false</code>
<code>citebordercolor</code>	color of border around cites	<code>0 1 0</code>
<code>citecolor</code>	color of citation links	<code>green</code>
<code>colorlinks</code>	color links	<code>false</code>
<code>debug</code>	provide details of anchors defined same as verbose	<code>true</code> (tex4ht, dviwindo) <code>false</code>
<code>draft</code>	do not do any hyper linking	<code>false</code>
<code>driverfallback</code>	Use this driver option, if no driver is given and cannot be autodetected	
<code>dvipdfm</code>	use dvipdfm backend	
<code>dvipdfmx</code>	use dvipdfmx backend (dvipdfm)	
<code>dvips</code>	use dvips backend	
<code>dvipsone</code>	use dvipsone backend	
<code>dviwindo</code>	use dviwindo backend	
<code>encap</code>	to set encap character for hyperindex	
<code>extension</code>	suffix of linked files	<code>dvi</code>
<code>filebordercolor</code>	color of border around file links	<code>0 .5 .5</code>
<code>filecolor</code>	color of file links	<code>cyan</code>
<code>final</code>	opposite of option draft	<code>true</code>
<code>frenchlinks</code>	use small caps instead of color for links	<code>false</code>
<code>hidelinks</code>	hide links (no color, no border)	
<code>hyperfigures</code>	make figures hyper links	<code>false</code>
<code>hyperfootnotes</code>	set up hyperlinked footnotes	<code>true</code>
<code>hyperindex</code>	set up hyperlinked indices	<code>true</code>
<code>hypertex</code>	use HyperTeX backend	
<code>hypertexnames</code>	use guessable names for links	<code>true</code>
<code>implicit</code>	redefine L ^A T _E X internals	<code>true</code>
<code>latex2html</code>	use L ^A T _E X2HTML backend	
<code>linkbordercolor</code>	color of border around links	<code>1 0 0</code>
<code>linkcolor</code>	color of links	<code>red</code>

<code>linktocpage</code>	make page number, not text, be link on TOC, LOF and LOT	<code>false</code>
<code>menubordercolor</code>	color of border around menu links	<code>1 0 0</code>
<code>menucolor</code>	color for menu links	<code>red</code>
<code>naturalnames</code>	use L ^A T _E X-computed names for links	<code>false</code>
<code>nesting</code>	allow nesting of links	<code>false</code>
<code>pageanchor</code>	put an anchor on every page	<code>true</code>
<code>pagebackref</code>	backreference by page number	<code>false</code>
<code>pdfauthor</code>	text for PDF Author field	<code>empty</code>
<code>pdfborder</code>	width of PDF link border	<code>0 0 1</code> <code>0 0 0 (colorlinks)</code>
<code>pdfcenterwindow</code>	position the document window center of the screen	<code>false</code>
<code>pdfcreator</code>	text for PDF Creator field	<code>LaTeX with hyperref package</code>
<code>pdfdirection</code>	direction setting	<code>empty</code>
<code>pdfdisplaydoctitle</code>	display document title instead of file name in title bar	<code>false</code>
<code>pdfduplex</code>	paper handling option for print dialog	<code>empty</code>
<code>pdffitwindow</code>	resize document window to fit document size	<code>false</code>
<code>pdfhighlight</code>	set highlighting of PDF links	<code>/I</code>
<code>pdfinfo</code>	alternative interface for document information	<code>empty</code>
<code>pdfkeywords</code>	text for PDF Keywords field	<code>empty</code>
<code>pdflang</code>	PDF language identifier (RFC 3066)	<code>empty</code>
<code>pdfmenubar</code>	make PDF viewer's menu bar visible	<code>true</code>
<code>pdfnewwindow</code>	make links that open another PDF file start a new window	<code>false</code>
<code>pdfnonfullscreenpagemode</code>	page mode setting on exiting full-screen mode	<code>empty</code>
<code>pdfnumcopies</code>	number of printed copies	<code>empty</code>
<code>pdfpagelayout</code>	set layout of PDF pages	<code>empty</code>
<code>pdfpagemode</code>	set default mode of PDF display	<code>empty</code>
<code>pdfpagelabels</code>	set PDF page labels	<code>false</code>
<code>pdfpagescrop</code>	set crop size of PDF document	<code>empty</code>
<code>pdfpagetransition</code>	set PDF page transition style	<code>empty</code>
<code>pdfpicktrackbypdfsize</code>	set option for print dialog	<code>empty</code>
<code>pdfprintarea</code>	set /PrintArea of viewer preferences	<code>empty</code>
<code>pdfprintclip</code>	set /PrintClip of viewer preferences	<code>empty</code>
<code>pdfprintpagerange</code>	set /PrintPageRange of viewer preferences	<code>empty</code>
<code>pdfprintscaling</code>	page scaling option for print dialog	<code>empty</code>
<code>pdfproducer</code>	text for PDF Producer field	<code>empty</code>
<code>pdfremotestartview</code>	starting view for links into remote PDF documents	<code>Fit</code>
<code>pdftrapped</code>	set the document information Trapped entry	<code>empty</code>
<code>pdfstartpage</code>	page at which PDF document opens	<code>1</code>
<code>pdfstartview</code>	starting view of PDF document	<code>Fit</code>
<code>pdfsubject</code>	text for PDF Subject field	<code>empty</code>
<code>pdftex</code>	use pdfT _E X backend	
<code>pdftitle</code>	text for PDF Title field	<code>empty</code>
<code>pdftoolbar</code>	make PDF toolbar visible	<code>true</code>
<code>pdfview</code>	PDF 'view' when on link traversal	<code>empty</code>

<code>pdfviewarea</code>	set /ViewArea of viewer preferences	<i>empty</i>
<code>pdfviewclip</code>	set /ViewClip of viewer preferences	<i>empty</i>
<code>pdfwindowui</code>	make PDF user interface elements visible	<code>true</code>
<code>plainpages</code>	do page number anchors as plain arabic	<code>true</code>
<code>ps2pdf</code>	use ps2pdf backend	
<code>raiselinks</code>	raise up links (for HyperTeX backend)	<code>false</code>
<code>runbordercolor</code>	color of border around ‘run’ links	<code>0 .7 .7</code>
<code>runcolor</code>	color of ‘run’ links	<code>filecolor</code>
<code>setpagesize</code>	set page size by special driver commands	<code>true</code>
<code>tex4ht</code>	use $\text{\TeX}4\text{ht}$ backend	
<code>textures</code>	use Textures backend	
<code>unicode</code>	Unicode encoded pdf strings	
<code>urlbordercolor</code>	color of border around URL links	<code>0 1 1</code>
<code>urlcolor</code>	color of URL links	<code>magenta</code>
<code>verbose</code>	be chatty	<code>false</code>
<code>vtex</code>	use VT \TeX backend	
<code>vtexpdfmark</code>	use backend for VT \TeX in PDF/PS mode (pdfmark specials)	
<u><code>xetex</code></u>	use Xe \TeX backend (dvipdfm)	
